



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 1: IDENTIFICATION

1.1 Product identifier: SDS488 - DAYCON ESSENTIALS CLEAR HAND SOAP

Other means of identification:

ITEM NUMBER (GAL.): 549649

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses (Consumer use):

- Hand cleaner

Relevant uses (Professional users):

- Hand cleaner

Relevant Use (Consumer):

Hand Soap

Uses advised against:

- All uses not specified in this section or in section 7.3

1.3 Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party:

Daycon Products Company, Inc.

16001 Trade Zone Avenue

20774 Upper Marlboro - Maryland - United States

Phone: 800-394-0019

cswensen@daycon.com

www.daycon.com

1.4 Emergency phone number: INFOTRAC: 01-800-535-5053



SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture:

29 CFR 1910.1200:

Classification of the chemical in accordance with paragraph (d)(1)(i) of §1910.1200

Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements:

29 CFR 1910.1200:

Warning



Hazard statements:

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing vapours

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of the contents/containers according to the local, state and federal regulations.

Substances that contribute to the classification

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

Additional labeling:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 2: HAZARD(S) IDENTIFICATION (continued)

Keep out of the reach of children

Federal Hazardous Substances Act (FHSA) >> Strong sensitizer (dermal)

May cause an allergic skin reaction. Wear gloves. Keep out of reach of children.

FIRST AID TREATMENT

If on skin, rinse well with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Contains : 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts.

2.3 Hazards not otherwise classified (HNOC):

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1 Substances:

Non-applicable

3.2 Mixtures:
Chemical description: Aqueous solution based on surfactants, perfume and colourant.

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

| Identification | Chemical name/Classification | Concentration |
|-----------------|---|----------------------|
| CAS: 7732-18-5 | Water | 75 - <100% |
| CAS: 7647-14-5 | Sodium chloride | 2.5 - <10% |
| CAS: 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts Eye Irrit. 2A: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 1 - <2.5% |
| CAS: 68585-34-2 | Alcohols, C10-16, ethoxylated, sulfates, sodium salts Eye Irrit. 2A: H319; Skin Irrit. 2: H315 - Warning | 1 - <2.5% |
| CAS: 109-55-7 | 3-aminopropyldimethylamine Acute Tox. 4: H302; Flam. Liq. 3: H226; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger | <1% |
| CAS: 56-81-5 | Glycerol | <1% |
| CAS: 1306-06-5 | Hydroxylapatite (Ca₅(OH)(PO₄)₃) | <1% |
| CAS: 1344-00-9 | Silicic acid, aluminum sodium salt | <1% |
| CAS: 1344-95-2 | Silicic acid, calcium salt | <1% |
| CAS: 7786-30-3 | Magnesium chloride | <1% |
| CAS: 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one Acute Tox. 3: H301+H331; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1: H317; STOT SE 3: H335 - Danger | <1% |
| CAS: 2682-20-4 | 2-methylisothiazol-3(2H)-one Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger | <1% |
| CAS: 13601-19-9 | Tetrasodium hexacyanoferrate | <1% |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES
4.1 Description of necessary measures:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 4: FIRST-AID MEASURES (continued)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 41 °F

Maximum Temp.: 86 °F

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

| Identification | Occupational exposure limits | | |
|--|------------------------------|--|---------------------|
| Silicic acid, calcium salt CAS: 1344-95-2 | 8-hour TWA PEL | | 5 mg/m ³ |
| | Ceiling Values - TWA PEL | | |
| Glycerol CAS: 56-81-5 | 8-hour TWA PEL | | 5 mg/m ³ |
| | Ceiling Values - TWA PEL | | |

US. ACGIH Threshold Limit Values (2022):

| Identification | Occupational exposure limits | | |
|---|------------------------------|--|--|
| Tetrasodium hexacyanoferrate CAS: 13601-19-9 | TLV-TWA | | 1 mg/m ³ |
| | TLV-STEL | | 2 mg/m ³ |
| Glycerol CAS: 56-81-5 | TLV-TWA | | 10 mg/m ³ (Total) 3 mg/m ³ (Respirable) |
| | TLV-STEL | | |

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

| Identification | Occupational exposure limits | | |
|--|------------------------------|--|--|
| Silicic acid, aluminum sodium salt CAS: 1344-00-9 | PEL | | 2 mg/m ³ |
| | STEL | | |
| Silicic acid, calcium salt CAS: 1344-95-2 | PEL | | 10 mg/m ³ (Total) 5 mg/m ³ (Respirable) |
| | STEL | | |
| Tetrasodium hexacyanoferrate CAS: 13601-19-9 | PEL | | 1 mg/m ³ |
| | STEL | | |
| Glycerol CAS: 56-81-5 | PEL | | 10 mg/m ³ (Total) 5 mg/m ³ (Respirable) |
| | STEL | | |

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

| Pictogram | PPE | Remarks |
|-------------------------------|---|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR) |

E.- Bodily protection

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025



Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram | PPE | Remarks |
|-----------|----------------------|---|
| | Work clothing | Replace before any evidence of deterioration. |
| | Anti-slip work shoes | Replace before any evidence of deterioration. |

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|--|--|
|  Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 |  Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

40 CFR Part 59 (VOC):

| | |
|-------------------------|---------------------------------------|
| V.O.C.(weight-percent): | 2.68 % weight |
| V.O.C. at 68 °F: | 394.65 kg/m ³ (394.65 g/L) |

California Air Resources Board (CARB) - VOC Regulatory:

| | |
|-------------------------|---------------------------------------|
| V.O.C.(weight-percent): | 2.68 % weight |
| V.O.C. at 68 °F: | 394.65 kg/m ³ (394.65 g/L) |

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

| | |
|-------------------------|---------------------------------------|
| V.O.C.(weight-percent): | 2.68 % weight |
| V.O.C. at 68 °F: | 394.65 kg/m ³ (394.65 g/L) |

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

| | |
|-------------------------|---------------------------------------|
| V.O.C.(weight-percent): | 2.68 % weight |
| V.O.C. at 68 °F: | 394.65 kg/m ³ (394.65 g/L) |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

| | |
|--------------------------|-------------|
| Physical state at 68 °F: | Liquid |
| Appearance: | Transparent |
| Color: | Colorless |
| Odor: | Odorless |

Volatility:

| | |
|--|------------------------|
| Boiling point at atmospheric pressure: | 212 °F |
| Vapour pressure at 68 °F: | 2348 Pa |
| Vapour pressure at 122 °F: | 12373.7 Pa (12.37 kPa) |
| Evaporation rate at 68 °F: | Non-applicable * |

Product description:

*Non-applicable due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | |
|--|---------------------------|
| Density at 68 °F: | 1017.2 kg/m ³ |
| Relative density at 68 °F: | 1.017 |
| Dynamic viscosity at 68 °F: | Non-applicable * |
| Kinematic viscosity at 68 °F: | Non-applicable * |
| Kinematic viscosity at 104 °F: | Non-applicable * |
| Concentration: | Non-applicable * |
| pH: | 5.5 - 8 |
| Vapour density at 68 °F: | Non-applicable * |
| Partition coefficient n-octanol/water 68 °F: | Non-applicable * |
| Solubility in water at 68 °F: | Non-applicable * |
| Solubility properties: | Non-applicable * |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |
| Flammability: | |
| Flash Point: | Non Flammable (>199.4 °F) |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature: | Non-applicable * |
| Lower flammability limit: | Non-applicable * |
| Upper flammability limit: | Non-applicable * |
| Particle characteristics: | |
| Median equivalent diameter: | Non-applicable * |

9.2 Other information:

Information with regard to physical hazard classes:

| | |
|--|------------------|
| Explosive properties: | Non-applicable * |
| Oxidising properties: | Non-applicable * |
| Corrosive to metals: | Non-applicable * |
| Heat of combustion: | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

Other safety characteristics:

| | |
|---------------------------------------|------------------|
| Surface tension at 68 °F: | Non-applicable * |
| Refraction index: | Non-applicable * |
| MIR (Maximum Incremental Reactivity): | Non-applicable * |
| pH (at use) = 6.5 - 8.5 | |

*Non-applicable due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 10: STABILITY AND REACTIVITY (continued)

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|---|------------------------|-----------------|-------------|
| Sodium chloride CAS: 7647-14-5 | LD50 oral | 3000 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation dust | | |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 | LD50 oral | >5000 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |
| 3-aminopropylidimethylamine CAS: 109-55-7 | LD50 oral | 1870 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |
| Glycerol CAS: 56-81-5 | LD50 oral | 27200 mg/kg | Rat |
| | LD50 dermal | 56750 mg/kg | Guinean pig |
| | LC50 inhalation vapour | | |
| Magnesium chloride CAS: 7786-30-3 | LD50 oral | 2800 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation dust | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4 | LD50 oral | 100 mg/kg | |
| | LD50 dermal | | |
| | LC50 inhalation dust | | |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | LD50 oral | >120 mg/kg | Rat |
| | LD50 dermal | >242 mg/kg | Rat |
| | LC50 inhalation mist | 0.34 mg/L (4 h) | Rat |
| Tetrasodium hexacyanoferrate CAS: 13601-19-9 | LD50 oral | >5110 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation dust | | |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

| Identification | Concentration | Species | Genus |
|---|---------------|-------------------|-------------------------|
| Sodium chloride CAS: 7647-14-5 | LC50 | 9675 mg/L (96 h) | Lepomis macrochirus |
| | EC50 | 3412 mg/L (24 h) | Daphnia magna |
| | EC50 | Non-applicable | |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 | LC50 | Non-applicable | |
| | EC50 | Non-applicable | |
| | EC50 | 30 mg/L (72 h) | N/A |
| 3-aminopropylidimethylamine CAS: 109-55-7 | LC50 | 122 mg/L (96 h) | Leuciscus idus |
| | EC50 | 68.3 mg/L (24 h) | Daphnia magna |
| | EC50 | 56.2 mg/L (72 h) | Scenedesmus subspicatus |
| Magnesium chloride CAS: 7786-30-3 | LC50 | 16500 mg/L (96 h) | Gambusia affinis |
| | EC50 | 1400 mg/L (24 h) | Daphnia magna |
| | EC50 | 2200 mg/L (72 h) | Scenedesmus subspicatus |

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Concentration | Species | Genus |
|--|------------------------|---------------------|------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4 | LC50 1.6 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| | EC50 4.71 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 Non-applicable | | |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | LC50 4.77 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| | EC50 0.934 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 Non-applicable | | |
| Tetrasodium hexacyanoferrate CAS: 13601-19-9 | LC50 >100 mg/L (96 h) | Cyprinus carpio | Fish |
| | EC50 >100 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 Non-applicable | | |

Chronic toxicity:

| Identification | Concentration | Species | Genus |
|---|---------------------|---------------------|------------|
| Sodium chloride CAS: 7647-14-5 | NOEC 252 mg/L | Pimephales promelas | Fish |
| | NOEC 314 mg/L | Daphnia pulex | Crustacean |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 | NOEC 0.16 mg/L | Oncorhynchus mykiss | Fish |
| | NOEC 0.9 mg/L | Daphnia magna | Crustacean |
| 3-aminopropylidimethylamine CAS: 109-55-7 | NOEC Non-applicable | | |
| | NOEC 3.64 mg/L | Daphnia magna | Crustacean |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | NOEC >0.1 - 1 mg/L | | Fish |
| | NOEC >0.1 - 1 mg/L | | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | Biodegradability |
|--|-------------------------|------------------------|
| Glycerol CAS: 56-81-5 | BOD5 Non-applicable | Concentration 100 mg/L |
| | COD Non-applicable | Period 14 days |
| | BOD5/COD Non-applicable | % Biodegradable 63 % |
| 5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4 | BOD5 Non-applicable | Concentration 100 mg/L |
| | COD Non-applicable | Period 28 days |
| | BOD5/COD Non-applicable | % Biodegradable 0 % |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | BOD5 Non-applicable | Concentration 10 mg/L |
| | COD Non-applicable | Period 28 days |
| | BOD5/COD Non-applicable | % Biodegradable 55.8 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential |
|---|---------------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 | BCF 71 |
| | Pow Log |
| | Potential Moderate |
| Glycerol CAS: 56-81-5 | BCF 3 |
| | Pow Log -1.76 |
| | Potential Low |
| 5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4 | BCF |
| | Pow Log -0.71 |
| | Potential |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | BCF |
| | Pow Log -0.49 |
| | Potential |

12.4 Mobility in soil:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Absorption/desorption | | Volatility | |
|---|-----------------------|----------------------|------------|-----------------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0 | Koc | 648 | Henry | Non-applicable |
| | Conclusion | Moderate | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |
| Glycerol CAS: 56-81-5 | Koc | Non-applicable | Henry | Non-applicable |
| | Conclusion | Non-applicable | Dry soil | Non-applicable |
| | Surface tension | 6.516E-2 N/m (77 °F) | Moist soil | Non-applicable |
| 2-methylisothiazol-3(2H)-one CAS: 2682-20-4 | Koc | Non-applicable | Henry | 0E+0 Pa·m ³ /mol |
| | Conclusion | Non-applicable | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Wastes generated by normal household activities (e.g., routine house and yard maintenance) are excluded from the definition of hazardous waste (Title 40 of the Code of Federal Regulations Part 261.4)

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE - The Hazardous Substances List: *Silicic acid, aluminum sodium salt (1344-00-9)*
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): *Water (7732-18-5)* ; *Sodium chloride (7647-14-5)* ; *Hydroxylapatite (Ca₅(OH)(PO₄)₃) (1306-06-5)* ; *Silicic acid, aluminum sodium salt (1344-00-9)* ; *Silicic acid, calcium salt (1344-95-2)* ; *Tetrasodium hexacyanoferrate (13601-19-9)* ; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)* ; *2-methylisothiazol-3(2H)-one (2682-20-4)* ; *Magnesium chloride (7786-30-3)* ; *Alcohols, C10-16, ethoxylated, sulfates, sodium salts (68585-34-2)* ; *Glycerol (56-81-5)* ; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)* ; *3-aminopropyldimethylamine (109-55-7)*
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Non-applicable
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK - Substance List: *Silicic acid, calcium salt (1344-95-2)* ; *Glycerol (56-81-5)* ; *3-aminopropyldimethylamine (109-55-7)*
- Minnesota - Hazardous substances ERTK: *Silicic acid, aluminum sodium salt (1344-00-9)* ; *Silicic acid, calcium salt (1344-95-2)* ; *Tetrasodium hexacyanoferrate (13601-19-9)* ; *Glycerol (56-81-5)*
- New Jersey Worker and Community Right-to-Know Act: *Silicic acid, calcium salt (1344-95-2)* ; *Glycerol (56-81-5)* ; *3-aminopropyldimethylamine (109-55-7)*
- New York RTK - Substance list: Non-applicable
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: *Silicic acid, aluminum sodium salt (1344-00-9)* ; *Silicic acid, calcium salt (1344-95-2)* ; *Tetrasodium hexacyanoferrate (13601-19-9)* ; *Glycerol (56-81-5)* ; *3-aminopropyldimethylamine (109-55-7)*
- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: *Hydroxylapatite (Ca₅(OH)(PO₄)₃) (1306-06-5)* ; *Tetrasodium hexacyanoferrate (13601-19-9)* ; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)* ; *Magnesium chloride (7786-30-3)* ; *Glycerol (56-81-5)* ; *3-aminopropyldimethylamine (109-55-7)*
- Rhode Island - Hazardous substances RTK: Non-applicable
- SB-258 Cleaning Product Right to Know Act : Non-applicable
- The Toxic Substances Control Act (TSCA) : *Water (7732-18-5)* ; *Sodium chloride (7647-14-5)* ; *Hydroxylapatite (Ca₅(OH)(PO₄)₃) (1306-06-5)* ; *Silicic acid, aluminum sodium salt (1344-00-9)* ; *Silicic acid, calcium salt (1344-95-2)* ; *Tetrasodium hexacyanoferrate (13601-19-9)* ; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)* ; *2-methylisothiazol-3(2H)-one (2682-20-4)* ; *Magnesium chloride (7786-30-3)* ; *Alcohols, C10-16, ethoxylated, sulfates, sodium salts (68585-34-2)* ; *Glycerol (56-81-5)* ; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)* ; *3-aminopropyldimethylamine (109-55-7)*
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

Other information:

All ingredients in the product formula are on the TSCA Inventory.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

- CONTINUED ON NEXT PAGE -



Printing: 12/3/2025

Date of compilation: 12/3/2025

Version: 1

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 2: H330 - Fatal if inhaled.
Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.
Acute Tox. 3: H301+H331 - Toxic if swallowed or if inhaled.
Acute Tox. 4: H302 - Harmful if swallowed.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2A: H319 - Causes serious eye irritation.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.
STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
CL50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon
IARC: International Agency for Research on Cancer

NFPA:

Health Hazards: 2
Flammability Hazards: 0
Instability Hazards: 0
Special Hazards: Non-applicable



Date of compilation: 12/3/2025

Information in this Safety Data Sheet (SDS) is based on sources other than direct test data and is given in good faith. No warranty is expressed or implied. We believe that the information is current as of the date of this SDS. The use of this information, the conditions, the methods of handling, storage, use and disposal of the product are not within the control of the manufacturer and distributor, therefore it is the user's responsibility and obligation to determine the conditions of the safe use of this product and to ensure that its activities comply with all laws and regulations.

END OF SAFETY DATA SHEET